

# CROSBY BROOK RESTORATION STUDY BRATTLEBORO, VT

## Vermont



## Key Stakeholders:

VT Dept. of Environmental Conservation  
VT Agency of Transportation (VTrans)  
Town of Brattleboro

## Funded By:

VT Agency of Transportation  
Transportation Enhancement Grant  
(Focus on VTrans Drainage)



NEWEA Spring Meeting  
Omni Mt. Washington Resort  
Bretton Woods, NH

June 9, 2015



# PROJECT OVERVIEW

- CROSBY BROOK IS LOCATED IN BRATTLEBORO, VT.
- PROJECT WAS AN EXTENSION OF PRIOR WORK PERFORMED BY THE WINDHAM COUNTY CONSERVATION DISTRICT (STREAM GEOMORPHIC ASSESSMENTS)
- TRIBUTARY TO THE CONNECTICUT RIVER (NUTRIENT LOADING IS A CONCERN)
- ON THE 303(D) LIST AND IS IMPAIRED FOR SEDIMENT POLLUTION AND HABITAT ALTERATION DUE SEDIMENTATION, CHANNELIZATION AND BUFFER LOSS.
- IDENTIFIED AS A CLASS B /COLDWATER FISH HABITAT (TEMPERATURE CONCERNS)
- IMPROVE FLOW CONDITIONS, TEMPERATURE / DO AND PREVENT FURTHER DEGRADATION
- STREAM RESTORATION IS A UNIQUE COMBINATION OF PEAK FLOW CONTROLS, STORMWATER TREATMENT, GEOMORPHIC IMPROVEMENTS AND BUFFER ENHANCEMENTS




# CROSBY BROOK



**NORTH BRANCH**



**SOUTH BRANCH**




SOURCE: BING MAPS

- COLDWATER FISH HABITAT (BROOK TROUT).
- TWO SEPARATE BRANCHES;
- NORTH MAIN BRANCH IS APPROX. 4 MILES LONG;
- SOUTH MAIN BRANCH IS APPROX. 2 MILES LONG;
- THE TWO BRANCHES JOIN, TO THE WEST OF THE ROUTE 9 AND ROUTE 5 ROUND-ABOUT (EXIT 3);
- THE LAST LEG OF THE BROOK FLOWS THROUGH A BUSY URBANIZED AREA FOR APPROX. ½ MILE PRIOR TO DISCHARGE INTO THE CONNECTICUT RIVER;




# CROSBY BROOK WATERSHED



- 6 SQUARE MILES;
- LOWER WATERSHED HIGHLY DEVELOPED WITH A MIX OF RESIDENTIAL AND COMMERCIAL PROPERTIES;
- STEEP UPPER WATERSHED MAINLY FORESTED WITH SOME AGRICULTURAL AND RESIDENTIAL LAND USES;
- THIS STUDY PRIMARILY FOCUSED ON A 350 ACRE HIGHLY DEVELOPED PORTION OF THE WATERSHED.
- GENERALLY HSG-B SOILS



# CROSBY BROOK PROJECT AREA 1



Route 5 & Route 9 – (Green Area)

- Approx. 240 acres
- Urbanized with commercial & industrial properties
- Approx. 40% impervious


- SEDIMENT LOADING FROM PARKING LOTS AND ROADWAYS
- HIGH PEAK FLOWS AND HIGH VELOCITY RUNOFF FROM LARGE IMPERVIOUS AREAS
- REQUIRES TREATMENT FOR SEDIMENT, FLOATABLES (SPILLS) AND NUTRIENTS
- IMPACTED BASEFLOW AND HIGHER RUNOFF TEMPERATURES



SOURCE: BING MAPS



# CROSBY BROOK PROJECT AREA 2



Interstate Route 91 – (Pink Area)

- Approx. 110 acres
- Mainly paved roads with linear grassed areas
- Approx. 15% impervious

- SEDIMENT & SALT LOADING FROM THE HIGHWAY
- HIGH VELOCITY RUNOFF FROM LONG LINEAR IMPERVIOUS AREAS LEADS TO EROSION
- HIGHWAY DRAINAGE = MANY UNTREATED DIRECT DISCHARGES




SOURCE: BING MAPS



# CROSBY BROOK PROJECT AREA 3

Route 9, Black Mountain Road and Middle Road – (Yellow Area)

- Approx. 750 acres
- Low density residential, meadows, agriculture and forested areas
- Less than 1% impervious but many steep slopes



- SEDIMENT LOADING FROM BANK EROSION AND MASS FAILURES
- SEDIMENT LOADING FROM STEEP GRAVEL ROADWAY DRAINAGE
- CHANNEL DEGRADATION (STREAM MORPHOLOGY)
- IMPACTS TO WILDLIFE PASSAGE AND NATURAL BUFFERS



SOURCE: BING MAPS



# STP OVERVIEW

## Project Goals

1. Identify potential **stormwater treatment practices** (STPs) for the Putney Road corridor with a target on sediment/temperature. Properly size STPs based on diverting drainage to open available space (future build-out and proposed Putney Road Master Plan).
2. Identify and size potential STPs for the Interstate Route 91 corridor with a target on retrofit projects to provide improved treatment within linear corridors.
3. Identify potential STPs in the upper watershed to minimize sedimentation, buffer loss and to stabilize the channel and banks.
  - STP Identification – Location and Type
  - STP Sizing – VT Stormwater Standards
  - STP Selection – Ranking Process
  - STP Recommendations – Most Effective





# STP IDENTIFICATION

STP POTENTIAL LOCATIONS AND TYPES WERE SELECTED BASED ON AVAILABLE INFORMATION:

- FIELD REVIEWS (GEOMORPHIC ASSESSMENT & WATERSHED REVIEW)
- RESOURCE AREA REVIEWS (IDENTIFY PERMITTING)
- DETAILED PLAN REVIEWS (VTRANS AND BRATTLEBORO PLANNING)
- STPS WERE IDENTIFIED FOR EACH OF THE THREE PROJECT AREAS AND STP TYPE, SIZING AND SELECTION PROCESS WERE ALL BASED ON THE POTENTIAL POLLUTANT SOURCES AND SPECIFIC SITE CONSTRAINTS



# STP IDENTIFICATION

## STP TYPES & CONSTRAINTS

STP TYPES were selected based on the potential issue and any site constraints observed during field investigations & plan reviews:


- Land use – Potential pollutants & Sources (VT SMM)
- Available Space – Existing & Future Development
- Potential Build-out
- Potential utility conflicts
- Location of bedrock
- Underlying Soils
- Shallow groundwater
- Maintenance access issues

The Vermont Stormwater Management Manual Appendix A1

Table A.1. Land Use Matrix

| STP Group     | STP Design          | Rural | Residential | Roads and Highways | Commercial/High Density | Hotspots | Ultra Urban |
|---------------|---------------------|-------|-------------|--------------------|-------------------------|----------|-------------|
| Pond          | Micropool ED        | ○     | ○           | ○                  | ▶                       | ①        | ●           |
|               | Wet Pond            | ○     | ○           | ○                  | ▶                       | ①        | ●           |
|               | Wet ED Pond         | ○     | ○           | ○                  | ▶                       | ①        | ●           |
|               | Multiple Pond       | ○     | ○           | ▶                  | ▶                       | ①        | ●           |
|               | Pocket Pond         | ○     | ▶           | ○                  | ▶                       | ①        | ●           |
| Wetland       | Shallow Marsh       | ○     | ○           | ▶                  | ▶                       | ①        | ●           |
|               | ED Wetland          | ○     | ○           | ▶                  | ▶                       | ①        | ●           |
|               | Pond/Wetland        | ○     | ○           | ▶                  | ▶                       | ①        | ●           |
|               | Gravel Wetland      | ○     | ▶           | ○                  | ○                       | ①        | ●           |
| Infiltration  | Infiltration Trench | ▶     | ○           | ○                  | ○                       | ●        | ▶           |
|               | Shallow I-Basin     | ▶     | ○           | ▶                  | ▶                       | ●        | ▶           |
| Filters       | Surface Sand Filter | ●     | ▶           | ○                  | ○                       | ②        | ○           |
|               | Underground SF      | ●     | ●           | ▶                  | ○                       | ○        | ○           |
|               | Perimeter SF        | ●     | ●           | ▶                  | ○                       | ○        | ○           |
|               | Organic SF          | ●     | ▶           | ○                  | ○                       | ②        | ○           |
|               | Bioretention        | ○     | ○           | ○                  | ○                       | ②        | ○           |
| Open Channels | Dry Swale           | ○     | ▶           | ○                  | ▶                       | ②        | ▶           |
|               | Wet Swale           | ○     | ●           | ○                  | ●                       | ●        | ▶           |
|               | Grass Channel       | ○     | ▶           | ○                  | ▶                       | ②        | ▶           |
| Detention*    | Pond/Vault          | ○     | ○           | ○                  | ○                       | ①        | ●           |

○: Yes. Good option in most cases.  
 ▶: Depends. Suitable under certain conditions, or may be used to treat a portion of the site.  
 ●: No. Seldom or never suitable.  
 ①: Acceptable option, but may require a pond liner to reduce risk of groundwater contamination.  
 ②: Acceptable option, if not designed as an exfiltrator. (An exfiltrator is a conventional stormwater filter without an underdrain system. The filtered volume ultimately infiltrates into the underlying soils.)  
 \*: The pond/vault is not an acceptable stand-alone water quality STP.






# STP IDENTIFICATION

## PROJECT AREAS 1 & 2

### STP LOCATIONS

- Identify available space;
- Detailed subwatershed delineation (property level);
- Potential for drainage system / subwatershed to be diverted;
- Review of existing drainage interconnections;
- Locations of outfalls



# STP IDENTIFICATION

## PROJECT AREA 3

CULVERT REPLACEMENTS & STABILIZATION AREAS WERE IDENTIFIED  
BASED ON INFORMATION FROM PREVIOUS GEOMORPHIC ASSESSMENTS

Crosby Brook Phase 2  
Stream Geomorphic Assessment Summary  
July 21, 2008



Prepared by:  
Evan P. Fitzgerald, Principal Watershed Scientist



| Appendix B - Phase 2 Reach Summary Statistics |                |                          |             |      |                           |                            |                       |              |                  |              |                  |                      |       |                |
|---|----------------|--------------------------|-------------|------|---------------------------|----------------------------|-----------------------|--------------|------------------|--------------|------------------|----------------------|-------|----------------|
| Reach/<br>Segment                             | Stream<br>Type | Dominant<br>Bed Material | Bedform     | STD* | Reference<br>Stream Type† | Reference<br>Bed Material† | Reference<br>Bedform† | RHA<br>Score | RHA<br>Condition | RGA<br>Score | RGA<br>Condition | Reach<br>Sensitivity | CEM** | CEM**<br>Stage |
| MD1-A   | A              | Gravel                   | Step-Pool   | No   |                           |                            |                       | 0.70         | Good             | 0.74         | Good             | High                 | F     | I              |
| MD1-B   | C              | Sand                     | Riffle-Pool | No   |                           |                            |                       | 0.42         | Fair             | 0.41         | Fair             | Very High            | F     | II             |
| MD2   | F              | Gravel                   | Plane Bed   | Yes  | C                         | Gravel                     | Riffle-Pool           | 0.34         | Poor             | 0.33         | Poor             | Extreme              | F     | II             |
| MD3   | C              | Gravel                   | Riffle-Pool | No   |                           |                            |                       | 0.63         | Fair             | 0.48         | Fair             | Very High            | F     | III            |
| MD4   | C              | Gravel                   | Riffle-Pool | No   |                           |                            |                       | 0.72         | Good             | 0.68         | Good             | High                 | F     | I              |
| MD5   | E              | Gravel                   | Riffle-Pool | No   |                           |                            |                       | 0.57         | Fair             | 0.64         | Good             | High                 | F     | IV             |
| MD6-A   | C              | Gravel                   | Riffle-Pool | No   |                           |                            |                       | 0.71         | Good             | 0.61         | Fair             | Very High            | F     | II             |
| MD6-B   | B              | Cobble                   | Step-Pool   | No   |                           |                            |                       | 0.73         | Good             | 0.68         | Good             | Moderate             | F     | II             |
| MD6-C   | C              | Gravel                   | Riffle-Pool | No   |                           |                            |                       | 0.73         | Good             | 0.66         | Good             | High                 | F     | I              |
| T1.01   | F              | Gravel                   | Plane Bed   | Yes  | C                         | Gravel                     | Riffle-Pool           | 0.53         | Fair             | 0.38         | Fair             | Extreme              | F     | II             |
| T1.02-A                                       | C              | Gravel                   | Riffle-Pool | No   |                           |                            |                       | 0.63         | Fair             | 0.45         | Fair             | Very High            | F     | II             |
| T1.02-B                                       | F              | Gravel                   | Step-Pool   | Yes  | B                         | Cobble                     | Step-Pool             | 0.48         | Fair             | 0.34         | Poor             | Extreme              | F     | II             |
| T1.02-C                                       | A              | Bedrock                  | Step-Pool   | No   |                           |                            |                       | 0.86         | Reference        | 0.85         | Reference        | Very Low             | F     | I              |
| T1.02-D                                       | E              | Sand                     | Riffle-Pool | No   |                           |                            |                       | 0.62         | Fair             | 0.60         | Fair             | Very High            | F     | II             |
| T1.02-E                                       | B              | Gravel                   | Plane Bed   | No   |                           |                            |                       | 0.72         | Good             | 0.79         | Good             | Moderate             | F     | I              |
| T1.03   | E              | Sand                     | Dune-Ripple | No   |                           |                            |                       | 0.62         | Fair             | 0.61         | Fair             | Very High            | F     | II             |

\* STD = Stream Type Departure  
 \*\* CEM = Channel Evolution Model  
 † = Assessed Reference Condition Prior to Stream Type Departure

Mean: 0.62      0.58  
 Max: 0.86      0.85  
 Min: 0.34      0.33




# STP SIZING

## PROJECT AREAS 1 & 2

### VT STORMWATER MANAGEMENT MANUAL STP SIZING STANDARDS



#### Volume Sizing for Peak Flow Attenuation (More Extreme Storms)

- Channel Protection ~ 1-year
- Overbank Protection ~ 10-year
- Spillway sized for 100-year



#### Volume Sizing for Stormwater Treatment

- Water Quality Volume
- Pre-Treatment Volume
- Recharge Volume



# STP SIZING

## PROJECT AREAS 1 & 2

### PEAK FLOW CRITERIA

CP<sub>V</sub> – CHANNEL PROTECTION VOLUME

OB<sub>V</sub> – OVERBANK PROTECTION VOLUME

EXTREME STORM PRECIPITATION DATA

NY & NE (NRCC & NRCS)

#### Subbasin Summary

| Subbasin ID                               | Area (acre) | Weighted Curve Number | Total Rainfall (in) | Total Runoff (in) | Total Runoff Volume (ac-in) | Peak Runoff (cfs) | tc (hr) | S     | Ia   | Ia/P | Channel Protection Volume |       |         |                   |                 |       |
|---|-------------|-----------------------|---------------------|-------------------|-----------------------------|-------------------|---------|-------|------|------|---------------------------|-------|---------|-------------------|-----------------|-------|
|   |             |                       |                     |                   |                             |                   |         |       |      |      | 24 Hour Storm             |       |         |                   |                 |       |
|   |             |                       |                     |                   |                             |                   |         |       |      |      | qu                        | qo/qi | T (hrs) | Vs/Vr (acre-feet) | Vs (cubic feet) |       |
| OF-10 Rt 91 Exit 3 NB Off ramp            | 2.11        | 54.08                 | 2.40                | 0.05              | 0.11                        | 0.01              | 0.037   | 8.49  | 1.70 | 0.71 | 400                       | 0.04  | 24      | 0.627             | 0.006           | 260   |
| OF-11A Rt 91 NB / S Exit 3 Off ramp       | 1.32        | 60.86                 | 2.40                | 0.16              | 0.22                        | 0.23              | 0.032   | 6.43  | 1.29 | 0.54 | 500                       | 0.03  | 24      | 0.641             | 0.012           | 504   |
| OF-11B Rt 91 Exit 3 SB On/Off Clover Leaf | 9.29        | 67.37                 | 2.40                | 0.33              | 3.03                        | 3.65              | 0.110   | 4.84  | 0.97 | 0.40 | 800                       | 0.025 | 24      | 0.647             | 0.163           | 7115  |
| OF-11C Rt 91 Exit 3 SB Overpass           | 1.85        | 68.68                 | 2.40                | 0.37              | 0.68                        | 0.91              | 0.061   | 4.56  | 0.91 | 0.38 | 810                       | 0.025 | 24      | 0.647             | 0.036           | 1590  |
| OF-11D Rt 91 SB / S Exit 3                | 2.12        | 40.70                 | 2.40                | 0.00              | 0.00                        | 0.00              | 0.058   | 14.57 | 2.91 | 1.21 | 100                       | 0.15  | 24      | 0.502             | 0.000           | 0     |
| OF-11E Upper Watershed Rt 91 Clover Leaf  | 8.13        | 30.00                 | 2.40                | 0.00              | 0.00                        | 0.00              | 0.340   | 23.33 | 4.67 | 1.94 | 80                        | 0.16  | 24      | 0.492             | 0.000           | 0     |
| OF-12 Rt 91 S of Exit 3                   | 5.47        | 40.32                 | 2.40                | 0.00              | 0.00                        | 0.00              | 0.059   | 14.80 | 2.96 | 1.23 | 100                       | 0.15  | 24      | 0.502             | 0.000           | 0     |
| OF-12A Rt 91 N of Black Mt Rd Overpass    | 4.87        | 49.90                 | 2.40                | 0.02              | 0.07                        | 0.01              | 0.060   | 10.04 | 2.01 | 0.84 | 200                       | 0.08  | 24      | 0.578             | 0.004           | 153   |
| OF-13 Rt 91 S Black Mt Rd Overpass        | 3.50        | 74.96                 | 2.40                | 0.59              | 2.07                        | 3.16              | 0.059   | 3.34  | 0.67 | 0.28 | 980                       | 0.02  | 24      | 0.654             | 0.113           | 4508  |
| OF-16B Rt 91 Exit 3 NB On ramp            | 2.44        | 44.42                 | 2.40                | 0.00              | 0.00                        | 0.00              | 0.039   | 12.51 | 2.50 | 1.04 | 200                       | 0.08  | 24      | 0.578             | 0.000           | 0     |
| OF-17 Rt 91 N Exit 3 / Steakout           | 1.32        | 58.65                 | 2.40                | 0.12              | 0.16                        | 0.09              | 0.059   | 7.05  | 1.41 | 0.59 | 400                       | 0.04  | 24      | 0.627             | 0.008           | 367   |
| OF-20A Rt 91 SB Exit Offramp              | 1.76        | 67.33                 | 2.40                | 0.33              | 0.57                        | 0.78              | 0.046   | 4.85  | 0.97 | 0.40 | 800                       | 0.025 | 24      | 0.647             | 0.031           | 1342  |
| OF-20B Upper Watershed Rt 91 Exit 3       | 29.54       | 70.00                 | 2.40                | 0.41              | 12.05                       | 9.18              | 0.395   | 4.29  | 0.86 | 0.36 | 400                       | 0.04  | 24      | 0.627             | 0.630           | 27462 |
| OF-22A Rt 91 N of Exit 3                  | 1.80        | 73.13                 | 2.40                | 0.52              | 0.93                        | 1.37              | 0.060   | 3.67  | 0.73 | 0.31 | 950                       | 0.02  | 24      | 0.654             | 0.051           | 2217  |
| OF-22B Upper Watershed Rt 91              | 6.22        | 70.00                 | 2.40                | 0.41              | 2.54                        | 1.93              | 0.395   | 4.29  | 0.86 | 0.36 | 400                       | 0.04  | 24      | 0.627             | 0.133           | 1625  |
| OF-25A Rt 91 S of Crosby Crossing         | 1.58        | 72.25                 | 2.40                | 0.49              | 0.77                        | 1.10              | 0.060   | 3.84  | 0.77 | 0.32 | 970                       | 0.02  | 24      | 0.654             | 0.042           | 1025  |
| OF-25B Upper Watershed Rt 91              | 7.30        | 70.00                 | 2.40                | 0.41              | 2.96                        | 2.27              | 0.395   | 4.29  | 0.86 | 0.36 | 400                       | 0.04  | 24      | 0.627             | 0.156           | 6785  |
| OF-26A Rt 91 N of Crosby Cross            | 0.95        | 63.18                 | 2.40                | 0.22              | 0.20                        | 0.24              | 0.051   | 5.83  | 1.17 | 0.49 | 550                       | 0.035 | 24      | 0.634             | 0.011           | 472   |
| OF-27 Rt 91 N of Crosby Cross             | 2.39        | 51.10                 | 2.40                | 0.02              | 0.05                        | 0.01              | 0.050   | 9.57  | 1.91 | 0.80 | 360                       | 0.055 | 24      | 0.608             | 0.003           | 121   |
| OF-28A Rt 91 N Exit 3 / E Hampton         | 2.64        | 53.97                 | 2.40                | 0.05              | 0.14                        | 0.01              | 0.052   | 8.53  | 1.71 | 0.71 | 400                       | 0.04  | 24      | 0.627             | 0.007           | 313   |
| OF-28B Upper Watershed Rt 91              | 2.67        | 39.00                 | 2.40                | 0.00              | 0.00                        | 0.00              | 0.429   | 16.64 | 3.13 | 1.30 | 180                       | 0.1   | 24      | 0.555             | 0.000           | 0     |
| OF-29 Rt 91 SW of Putney Bridge           | 6.42        | 54.54                 | 2.40                | 0.06              | 0.38                        | 0.04              | 0.046   | 8.34  | 1.67 | 0.69 | 410                       | 0.045 | 24      | 0.621             | 0.020           | 853   |
| OF-35 Rt 91 NE of Putney Bridge           | 9.49        | 76.68                 | 2.40                | 0.66              | 6.30                        | 10.38             | 0.038   | 3.04  | 0.61 | 0.25 | 950                       | 0.02  | 24      | 0.654             | 0.343           | 14958 |

|                                       |  |
|---------------------------------------|--|
| Channel Protection (CP <sub>V</sub> ) | Default Criterion:<br><br>CP <sub>V</sub> = 12 hours extended detention of post-developed 1-year, 24-hour rainfall event in coldwater fish habitats (24 hr. detention in warmwater fish habitats). |
| Overbank Flood (Q <sub>p10</sub> )    | Control the post-developed <sup>2</sup> peak discharge from the 10-year storm to 10-year pre-development <sup>3</sup> rates.   |
| Extreme Storm (Q <sub>p100</sub> )    | Control the peak discharge from the 100-year storm to 100-year pre-development rates.  |



# STP SIZING

## PROJECT AREAS 1 & 2

### PEAK FLOW – BASIN VOLUMES

VT SM Manual – Peak flow basin volumes were estimated using (USDA TR-55) and Harrington methods

Then using  $q_o/q_i$ , Figure 1.6 can be used to estimate  $V_s/V_r$ . For a Type II or Type III rainfall distribution,  $V_s/V_r$  can also be calculated using the following equation:

$$V_s/V_r = 0.682 - 1.43 (q_o/q_i) + 1.64 (q_o/q_i)^2 - 0.804 (q_o/q_i)^3$$

Where:

- $V_s$  = required storage volume (acre-feet)
- $V_r$  = runoff volume (acre-feet)
- $q_o$  = peak outflow discharge (cfs)
- $Q_i$  = peak inflow discharge (cfs)

The required storage volume can then be calculated by:

$$V_s = \frac{(V_s/V_r)(Q_d)(A)}{12}$$

Where:

- $Q_d$  = the developed runoff for the design storm (inches)
- $A$  = total drainage area (acres)




Figure 1.5 Detention Time vs. Discharge Ratios (Source: adopted from Harrington, 1987)




Figure 1.6 Approximate Detention Basin Routing For Rainfall Types I, IA, II, and III. (Source: NRCS, 1986)



# STP SIZING

## PROJECT AREAS 1 & 2

### VT STANDARDS – TREATMENT STP VOLUMES

The Percent Volume Method calculation is as follows:

$$Re_v = (F)(A)(I)/12$$

Where:  $Re_v$  = Recharge volume (acre-feet)  
 $F$  = Recharge factor (inches)

| Hydrologic Soil Group | Recharge Factor (F) |
|-----------------------|---------------------|
| A                     | 0.40                |
| B                     | 0.25                |
| C                     | 0.10                |
| D                     | waived              |

$A$  = Site area (in acres)  
 $I$  = Site imperviousness (expressed as a decimal percent)

The following equation shall be used to determine the water quality storage volume ( $WQ_v$ ) (in acre-feet of storage):

$$WQ_v = \frac{(P)(R_v)(A)}{12}$$

where:

$WQ_v$  = water quality volume (in acre-feet)  
 $P$  = 90% Rainfall Event (0.9 inches across Vermont)  
 $R_v$  = volumetric runoff coefficient equal to:  $[0.05 + 0.009(I)]$ , where  $I$  is a whole number percent impervious cover at the site (ex. 25, not .25)  
 $A$  = site area (in acres)

- Pre-treatment volume varies based on STP type
- For conceptual sizing purposes, used 10% of the water quality volume.

#### Subbasin Summary

| Subbasin ID                               | Area   | Imp Area | P    | Water Quality Volume |           |              |             |         |           |
|---|--------|----------|------|----------------------|-----------|--------------|-------------|---------|-----------|
|   |        |          |      | % Imp                | % Imp     | Runoff Coeff | WQv         | WQv     | WQv       |
|   | (acre) |          | (in) | (%)                  | (decimal) | (Rv)         | (acre-feet) | (cu ft) | (acre-in) |
| OF-10 Rt 91 Exit 3 NB Off ramp            | 2.11   | 0.54     | 0.90 | 26%                  | 25.56     | 0.28         | 0.04        | 1933    | 0.53      |
| OF-11A Rt 91 NB / S Exit 3 Off ramp       | 1.32   | 0.49     | 0.90 | 37%                  | 37.05     | 0.38         | 0.04        | 1657    | 0.46      |
| OF-11B Rt 91 Exit 3 SB On/Off Clover Leaf | 9.29   | 1.06     | 0.90 | 11%                  | 11.41     | 0.15         | 0.11        | 4634    | 1.28      |
| OF-11C Rt 91 Exit 3 SB Overpass           | 1.85   | 0.56     | 0.90 | 30%                  | 30.29     | 0.32         | 0.04        | 1949    | 0.54      |
| OF-11D Rt 91 SB / S Exit 3                | 2.12   | 0.27     | 0.90 | 13%                  | 12.72     | 0.16         | 0.03        | 1141    | 0.31      |
| OF-11E Upper Watershed RT 91 Clover Leaf  | 8.13   | 0        | 0.90 | 0%                   | 0.00      | 0.05         | 0.03        | 1329    | 0.37      |
| OF-12 Rt 91 S of Exit 3                   | 5.47   | 0.69     | 0.90 | 13%                  | 12.61     | 0.16         | 0.07        | 2923    | 0.81      |
| OF-12A Rt 91 N of Black Mt Rd Overpass    | 4.87   | 0.88     | 0.90 | 18%                  | 18.08     | 0.21         | 0.08        | 3383    | 0.93      |
| OF-13 Rt 91 S Black Mt Rd Overpass        | 3.50   | 2.11     | 0.90 | 60%                  | 60.31     | 0.59         | 0.16        | 6776    | 1.87      |
| OF-16B Rt 91 Exit 3 NB On ramp            | 2.44   | 0.38     | 0.90 | 16%                  | 15.61     | 0.19         | 0.03        | 1515    | 0.42      |
| OF-17 Rt 91 N Exit 3 / Steakout           | 1.32   | 0.44     | 0.90 | 33%                  | 33.30     | 0.35         | 0.03        | 1510    | 0.42      |
| OF-20A Rt 91 SB Exit Offramp              | 1.76   | 0.41     | 0.90 | 23%                  | 23.33     | 0.26         | 0.03        | 1493    | 0.41      |
| OF-20B Upper Watershed Rt 91 Exit 3       | 29.54  | 0        | 0.90 | 0%                   | 0.00      | 0.05         | 0.11        | 4826    | 1.33      |
| OF-22A Rt 91 N of Exit 3                  | 1.80   | 0.59     | 0.90 | 33%                  | 32.80     | 0.35         | 0.05        | 2029    | 0.56      |
| OF-22B Upper Watershed Rt 91              | 6.22   | 0        | 0.90 | 0%                   | 0.00      | 0.05         | 0.02        | 1016    | 0.28      |
| OF-25A Rt 91 S of Crosby Crossing         | 1.58   | 0.48     | 0.90 | 30%                  | 30.41     | 0.32         | 0.04        | 1669    | 0.46      |
| OF-25B Upper Watershed Rt 91              | 7.30   | 0        | 0.90 | 0%                   | 0.00      | 0.05         | 0.03        | 1193    | 0.33      |
| OF-26A Rt 91 N of Crosby Cross            | 0.95   | 0.56     | 0.90 | 59%                  | 59.02     | 0.58         | 0.04        | 1802    | 0.50      |
| OF-27 Rt 91 N of Crosby Cross             | 2.39   | 0.49     | 0.90 | 21%                  | 20.51     | 0.23         | 0.04        | 1831    | 0.50      |
| OF-28A Rt 91 N Exit 3 / E Hampton         | 2.64   | 0.67     | 0.90 | 25%                  | 25.37     | 0.28         | 0.06        | 2401    | 0.66      |
| OF-28B Upper Watershed Rt 91              | 2.67   | 0        | 0.90 | 0%                   | 0.00      | 0.05         | 0.01        | 436     | 0.12      |
| OF-29 Rt 91 SW of Putney Bridge           | 6.42   | 1.69     | 0.90 | 26%                  | 26.34     | 0.29         | 0.14        | 6017    | 1.66      |
| OF-35 Rt 91 NE of Putney Bridge           | 9.49   | 2.78     | 0.90 | 29%                  | 29.30     | 0.31         | 0.22        | 9724    | 2.68      |





# STP SIZING

## PROJECT AREAS 1 & 2

### MODELING RESULTS

Available STP volume versus Sizing Criteria

| STP #1.1                              | Total Area (acre) | Treated Percent | Treated Area (acre) | 12 hr- CPv Volume (cu.ft.) | Total Imp Area (acre) | Treated Imp Area (acre) | WQ Volume (cu.ft.) | Soils Group | Re Volume (cu.ft.) | Pre-Treat Volume (cu.ft.) | Sanded Area (acre) | Sand Load (cu.ft.) | 24 hr -OB Volume (cu.ft.) | Assumed Weir Ht. (ft) | Peak Flow 100 yr (cfs) | Weir Length (ft) |
|---------------------------------------|-------------------|-----------------|---------------------|----------------------------|-----------------------|-------------------------|--------------------|-------------|--------------------|---------------------------|--------------------|--------------------|---------------------------|-----------------------|------------------------|------------------|
| 59: OF-6D McDonalds                   | 0.97              | 100%            | 0.965               | 3593                       | 0.8                   | 0.80                    | 2510               | B           | 726                | 290                       | 0.00               | 27                 | 7364                      | 1.0                   | 9.0                    | 3                |
| 60: OF-6E KFC Taco Bell               | 1.00              | 25%             | 0.249               | 928                        | 0.87                  | 0.22                    | 680                | B           | 197                | 79                        | 0.04               | 7                  | 1902                      | 1.0                   | 2.3                    | 1                |
| 61: OF-6F Americas Best Inn           | 1.83              | 100%            | 1.832               | 6820                       | 1.26                  | 1.26                    | 4004               | B           | 1143               | 457                       | 0.15               | 46                 | 13979                     | 1.0                   | 17.0                   | 5                |
| 22: BO-OF-6 Current House             | 2.11              | 25%             | 0.528               | 19                         | 0.12                  | 0.03                    | 175                | A           | 44                 | 11                        | 0.00               | 0                  | 263                       | 1.0                   | 0.6                    | 0                |
| 23: BO-OF-6 New Development 1         | 1.26              | 50%             | 0.630               | 608                        | 0.68                  | 0.34                    | 1103               | B           | 309                | 123                       | 0.00               | 9                  | 2126                      | 1.0                   | 3.4                    | 1                |
| 24: BO-OF-6 New Development 2         | 2.66              | 50%             | 1.328               | 1281                       | 1.44                  | 0.72                    | 2334               | A           | 1045               | 261                       | 0.00               | 20                 | 4480                      | 1.0                   | 7.1                    | 2                |
| 25: BO-OF-6-Current Putney Road       | 2.29              | 60%             | 1.372               | 3791                       | 1.80                  | 1.08                    | 3400               | B           | 980                | 392                       | 1.08               | 60                 | 8705                      | 1.0                   | 11.8                   | 4                |
| 8: BO-OF-15 Current Commercial / Indu | 8.73              | 60%             | 5.236               | 19491                      | 6.43                  | 3.86                    | 12199              | A           | 5602               | 1400                      | 0.16               | 191                | 39953                     | 1.0                   | 47.9                   | 15               |
| 9: BO-OF-15 New Development 15        | 2.58              | 50%             | 1.289               | 1244                       | 1.39                  | 0.70                    | 2254               | A           | 1009               | 252                       | 0.00               | 19                 | 4351                      | 1.0                   | 6.9                    | 2                |
| 15: OF-15 Commercial / Industrial     | 11.31             | 0%              | 0.000               | 0                          | 7.36                  | 0.00                    | 0                  | B           | 0                  | 0                         | 0.00               | 0                  | 0                         | 1.0                   | 0.0                    | 0                |
| <b>STP #1.1</b>                       | <b>34.73</b>      |                 | <b>13.43</b>        | <b>37773</b>               | <b>22.15</b>          | <b>9.00</b>             | <b>28658</b>       |             | <b>11055</b>       | <b>3267</b>               | <b>1.43</b>        | <b>380</b>         | <b>83123</b>              |                       | <b>106.1</b>           | <b>34</b>        |

| STP #1.1 | Description       | TYPE   | Length | Width | Area             | Area        | Depth         | Volume       | Pre (cu.ft.) | WQv (cu.ft.) | REv (cu.ft.) | CPv (cu.ft.) | Obv (cu.ft.) | 100 YR Peak (cfs) | Spillway Length (ft) |
|----------|-------------------|--------|--------|-------|------------------|-------------|---------------|--------------|--------------|--------------|--------------|--------------|--------------|-------------------|----------------------|
| BMP 1    | Infiltration Pond | POND   | 0.00   | 0.00  | 7500.00          | 4.50        | 33750         |              |              |              |              |              |              |                   |                      |
| BMP 2    | Wetpond           | POND   | 0.00   | 0.00  | 9000.00          | 5.00        | 145000        |              |              |              |              |              |              |                   |                      |
| BMP 3    | Gravel Wetland    | TRENCH | 100.00 | 50.00 | 5000.00          | 2.00        | 3000          | 3267         | 28658        | 11055        | 37773        | 83123        | 106.1        | 34                |                      |
| BMP 4    |                   |        | 0.00   | 0.00  | 0.00             |             | 0             |              |              |              |              |              |              |                   |                      |
|          | <b>Total Area</b> |        |        |       | <b>Avg Depth</b> | <b>3.83</b> | <b>Volume</b> | <b>81750</b> | <b>2502%</b> | <b>285%</b>  | <b>739%</b>  | <b>216%</b>  | <b>98%</b>   |                   |                      |

STPv falls shy of Obv

STPv meets REV

STPv meets WQv, CPv



# STP SIZING

## PROJECT AREAS 1 & 2

### MODELING RESULTS

Treated areas and associated property owners:

Treat a mix of public and private lands

| STP #1.1                                 | Area         | Imp Area    |                      |              |           |            |           |
|--|--------------|-------------|----------------------|--------------|-----------|------------|-----------|
| Subwatersheds                            | (acres)      | (acres)     |                      |              |           |            |           |
| BO-OF-6 Current House                    | 0.528        | 0.03        |                      |              |           |            |           |
| BO-OF-6 New Development 1                | 0.630        | 0.34        |                      |              |           |            |           |
| BO-OF-6 New Development 2                | 1.328        | 0.72        |                      |              |           |            |           |
| BO-OF-6 Current Putney Road              | 1.372        | 1.08        |                      |              |           |            |           |
| OF-6D McDonalds                          | 0.965        | 0.80        |                      |              |           |            |           |
| OF-6E KFC Taco Bell                      | 0.249        | 0.22        |                      |              |           |            |           |
| OF-6F Americas Best Inn                  | 1.832        | 1.26        |                      |              |           |            |           |
| BO-OF-15 Current Commercial / Industrial | 5.236        | 3.86        |                      |              |           |            |           |
| BO-OF-15 New Development 15              | 1.289        | 0.70        |                      |              |           |            |           |
| <b>Total =</b>                           | <b>13.43</b> | <b>9.00</b> |                      |              |           |            |           |
| Area Breakdown                           | Area         | Area        |                      | % Total Area |           | % Imp Area |           |
| Putney Rd                                | 1.37         | 1.08        | Putney Rd            | 10%          |           | 12%        |           |
| Other Town Roads                         | 0.35         | 0.35        | Other Town Roads     | 3%           |           | 4%         |           |
| Route 91                                 | 0.00         | 0.00        | Route 91             | 0%           |           | 0%         |           |
| <b>Total Private</b>                     | <b>11.71</b> | <b>7.57</b> | <b>Total Private</b> | <b>87%</b>   |           | <b>84%</b> |           |
|  |              |             |                      |              | % Private |            | % Private |
| Private - Currently Developed            | 8.46         | 5.82        | Current              | 63%          | 72%       | 65%        | 77%       |
| Private - Potential Buildout             | 3.25         | 1.76        | Potential Buildout   | 24%          | 28%       | 19%        | 23%       |



# STP SIZING

## PROJECT AREAS 3

### Sizing to Address Channel Erosion

#### Main Channel STPs

- Culverts should meet ~75% to 100+% of bank-full width (up / downstream effects)
- More detailed study required for final sizing – length, slope, skew, depth, etc.
- Culvert designs follow *Guidelines for the Design of Stream/Road Crossings for Passage of Aquatic Organisms in VT* prepared by the VT Department of Fish and Game
- Sizing of stabilization and natural buffers - based on field measurements and observations

Table 2. Crosby Brook Reference Reach Characteristics

| Reach | Phase 2 Data | Drainage Area (sq. mi.) | Channel Length (mi) | Channel Slope (%) | Channel Width (ft.) | Sinuosity | Valley Width <sup>§</sup> (ft.) | Confinement Ratio | Stream Type* | Stream Type** | Bedform <sup>†</sup> |
|-------|--------------|-------------------------|---------------------|-------------------|---------------------|-----------|---------------------------------|-------------------|--------------|---------------|----------------------|
| M01   | Yes          | 5.7                     | 0.7                 | 1.2               | 28.2                | 1.07      | 150                             | 5.3               | NW           | C             | Riffle-Pool          |
| M02   | Yes          | 3.7                     | 0.5                 | 0.7               | 23.3                | 1.03      | 227                             | 9.7               | BD           | C             | Riffle-Pool          |
| M03   | Yes          | 2.8                     | 0.6                 | 1.1               | 20.6                | 1.07      | 200                             | 9.7               | BD           | C             | Riffle-Pool          |
| M04   | Yes          | 2.6                     | 0.6                 | 1.4               | 19.9                | 1.10      | 100                             | 5.0               | NW           | C             | Riffle-Pool          |
| M05   | Yes          | 2.4                     | 0.5                 | 0.3               | 19.4                | 1.20      | 400                             | 20.7              | VB           | E             | Riffle-Pool          |
| M06   | Yes          | 2.2                     | 0.7                 | 2.5               | 18.4                | 1.05      | 150                             | 8.1               | BD           | C             | Riffle-Pool          |
| M07   | No           | 1.6                     | 1.0                 | 3.1               | 16.1                | 1.03      | 50                              | 3.1               | SC           | B             | Step-Pool            |
| M08   | No           | 0.5                     | 0.7                 | 7.4               |                     |           |                                 |                   |              |               |                      |
| M09   | No           | 0.1                     | 0.3                 | 3.6               |                     |           |                                 |                   |              |               |                      |
| T1.01 | Yes          | 1.8                     | 0.5                 | 1.4               |                     |           |                                 |                   |              |               |                      |
| T1.02 | Yes          | 1.7                     | 0.8                 | 4.5               |                     |           |                                 |                   |              |               |                      |
| T1.03 | Yes          | 1.1                     | 0.8                 | 0.2               |                     |           |                                 |                   |              |               |                      |
| T1.04 | No           | 0.8                     | 0.2                 | 4.3               |                     |           |                                 |                   |              |               |                      |
| T1.05 | No           | 0.4                     | 1.0                 | 4.9               |                     |           |                                 |                   |              |               |                      |
| T2.01 | No           | 0.5                     | 0.5                 | 3.4               |                     |           |                                 |                   |              |               |                      |
| T2.02 | No           | 0.1                     | 0.7                 | 4.8               |                     |           |                                 |                   |              |               |                      |

\* NW = Narrow; SC = Semi-confined; BD = Broad; VB = Very B  
<sup>§</sup> Valley Width estimated remotely for *italicized* values  
<sup>\*\*</sup> per Rosgen (1994)  
<sup>†</sup> per Montgomery & Buffington (1997)



Figure 14. Mass failure in lower M01-B





# STP PHASE 1 RANKING

## PROJECT AREAS 1 & 2

- Specific criteria was used to determine feasibility of the STPs
- Each criterion was given a range of priority points based on importance

- Proximity to Brook
- Sediment Accumulation & Removal
- Ease of Implementation
- Land Use
- Land Owner
- STP Sizing & Standards Compliance
- Maintenance Requirements
- Permitting Requirements

### Explanation of Ranking:

**Proximity to Brook:** Within 50 feet = 1; 51 feet - 100 feet = 2; 101 - 200 feet = 3; 201 - 300 feet = 4; 300+ feet = 5

**Direct / Indirect Discharge:** Direct = 4; Indirect = 2

**Impervious Area %:** 76% - 100% = 4; 51% - 75% = 3; 26% - 50% = 2; 0% - 25% = 1

**Ease of Implementation:** Easy, low number of issues = 5; Moderate, possible equipment maneuvering/ access issues = 3; Difficult, expensive equipment maneuvering/ road closures = 1

**Land Owner:** Town / State Owned (no easements) = 3; Private (easement needed) = 1

**Land Use:** Commercial / Industrial = 3.5; Commercial / Highway = 3; Industrial / Highway = 2.5; Commercial / Residential = 2.5; Residential / Highway = 1.5; Commercial = 4; Industrial = 3; Highway = 2; Residential/Forested = 1

**Potential STP Storm Size:** 10yr -24hr plus = 3; 10yr -24hr = 2; under 10yr -24hr = 1; No STP = 0

**Potential STP Recharge:** 15,000 CF plus = 5; 10,000 - 14,999 CF = 4; 5,000 - 9,999 CF = 3; 2,000 - 4,999 CF = 2; <2,000 CF = 1; No STP = 0

**Sediment Removal:** 250 cf plus = 6; 200 - 249 cf = 5; 150 - 199 cf = 4; 100 - 149 = 3; 50 - 99 = 2; 0 - 49 = 1; No STP = 0

**STP Cost:** \$550,000 plus = 1; \$450,000 - \$549,999 = 1.5; \$350,000 - \$449,999 = 2; \$250,000 - \$349,999 = 2.5; \$150,000 - \$249,999 = 3; \$125,000 - \$149,999 = 3.5; \$75,000 - \$124,999 = 4; \$74,999 and less = 4.5

**Permit Requirements:** No Permit Needed = 3; Possible Permit Needed = 2; Definitely Permit Needed = 1

**Maintenance Requirements:** Low frequency, easy access, easy tasks = 3; Moderate frequency, access issues, several tasks = 2; High frequency, difficult to access w/ equipment = 1



# STP PHASE 1 RANKING

## PROJECT AREAS 1 & 2

APPENDIX D - STP OPTIONS - COST SUMMARY TABLE

| STP ID | Sub-basins Handled (Outfall I.D.) | Area   | Pipe  | Pipe      | Structure | Structure | Pond Install | Add Excavation | Excav Cost | Added Costs | STP Const Cost (\$) | Survey  | Permitting | Engineering | Bid / Construction | Engineering Total Costs (\$) | STP Total Costs (\$) | STP Maintenance (\$) | STP Total 10 yr Costs (\$) |
|--------|-----------------------------------|--------|-------|-----------|-----------|-----------|--------------|----------------|------------|-------------|---------------------|---------|------------|-------------|--------------------|------------------------------|----------------------|----------------------|----------------------------|
| 1-1    | 6, 6D, 6E, 6F, 15                 | 20,500 | 1,200 | \$180,000 | 15        | \$52,500  | \$163,500    | 5,125          | \$3,796    | \$80,000    | \$479,796           | \$7,400 | \$0        | \$00,000    | \$72,000           | \$175,400                    | \$655,196            | \$3,400              | \$689,196                  |
| 1-2    | 6, 6H, 6I, 6J                     | 18,250 | 300   | \$45,000  | 5         | \$17,500  | \$109,600    | 9,125          | \$6,759    | \$35,800    | \$214,659           | \$7,100 | \$0        | \$42,900    | \$32,200           | \$82,200                     | \$296,859            | \$3,100              | \$327,859                  |
| 1-3    | 1, 3, 5, 6, 6A, 6B, 6C, 8         | 14,000 | 950   | \$142,500 | 8         | \$28,000  | \$125,800    | 7,000          | \$5,185    | \$60,300    | \$361,785           | \$6,600 | \$5,000    | \$72,400    | \$54,300           | \$138,300                    | \$500,085            | \$2,600              | \$526,085                  |

- Conceptual costs were prepared and entered into the matrix to be used for ranking analysis
- STP sizing and pollutant reduction information was also entered into the matrix to be used for ranking analysis.
- Once criteria for each STP was compiled, the priority point scores were applied and tallied to select STPs with the highest total score

| STP ID | Proximity to Brook | Direct / Indirect Discharge | Impervious Area % | Ease of Implementation | Land Owner | Land Use | Potential STP Storm Size | Potential STP Recharge | Sediment Removal | STP Costs | Permit Requirements | Maintenance Requirements / Access | Priority Points | RANK |
|--------|--------------------|-----------------------------|-------------------|------------------------|------------|----------|--------------------------|------------------------|------------------|-----------|---------------------|-----------------------------------|-----------------|------|
| 1-1    | 5                  | 2                           | 3                 | 3                      | 1          | 4        | 3                        | 4                      | 6                | 1         | 3                   | 3                                 | 30              | 1    |
| 1-4    | 2                  | 4                           | 3                 | 5                      | 2          | 4        | 3                        | 3                      | 3                | 3         | 2                   | 3                                 | 37              | 2    |
| 1-2    | 5                  | 2                           | 2                 | 5                      | 2          | 2.5      | 3                        | 3                      | 3                | 2.5       | 3                   | 2                                 | 35              | 3    |
| 1-8    | 1                  | 4                           | 3                 | 5                      | 1          | 4        | 2                        | 4                      | 4                | 2         | 2                   | 2                                 | 34              | 4    |
| 1-6    | 3                  | 2                           | 3                 | 3                      | 1          | 4        | 2                        | 3                      | 3                | 3         | 3                   | 3                                 | 33              | 5    |
| 1-7    | 5                  | 2                           | 3                 | 1                      | 2          | 3.5      | 3                        | 3                      | 4                | 2         | 3                   | 1                                 | 32.5            | 6    |
| 1-10   | 5                  | 2                           | 3                 | 1                      | 2          | 3.5      | 1                        | 4                      | 4                | 3         | 2                   | 2                                 | 32.5            | 7    |
| 1-3    | 2                  | 4                           | 3                 | 3                      | 1          | 3.5      | 2                        | 3                      | 4                | 1         | 2                   | 3                                 | 31.5            | 8    |
| 1-13   | 5                  | 2                           | 3                 | 1                      | 3          | 3        | 1                        | 4                      | 3                | 1.5       | 3                   | 2                                 | 31.5            | 9    |
| 1-9    | 1                  | 4                           | 3                 | 5                      | 2          | 3        | 1                        | 2                      | 3                | 2.5       | 1                   | 3                                 | 30.5            | 10   |
| 1-11B  | 5                  | 2                           | 2                 | 3                      | 2          | 3.5      | 2                        | 3                      | 3                | 2         | 1                   | 2                                 | 30.5            | 11   |
| 1-5    | 1                  | 4                           | 2                 | 5                      | 1          | 4        | 2                        | 1                      | 1                | 4.5       | 1                   | 3                                 | 29.5            | 12   |



# STP PHASE 2 RANKING

## PROJECT AREAS 1 & 2

### POLLUTANT LOADS & REDUCTIONS

- Simple Method
- STPs – Treatment trains (in series)

The Simple Method - Pollutant Reduction Model  
Example Pollutant Loading Estimates

| No.          | Watershed Name | Landuse ID | Landuse             | Area (acres)  | Sanded? | Sanded Area (acres) | % Impervious | Runoff (in) | Pretreatment (0.1" Imp. acre) cf | Treatment (1" Imp. acre) cf | Annual Runoff (cf) | Annual TSS (lbs) | Annual TP (lbs) | Annual TN (lbs) | Annual FC (billion colonies) |
|--------------|----------------|------------|---------------------|---------------|---------|---------------------|--------------|-------------|----------------------------------|-----------------------------|--------------------|------------------|-----------------|-----------------|------------------------------|
| 1            | Paved Roadway  | 8          | Roadway/Parking Lot | 1,870         | Yes     | 1,870               | 80           | 31.2        | 543                              | 5,430                       | 211,687            | 6,545            | 7.25            | 18.5            | 102.1                        |
| 2            | Woods          | 2          | Forested            | 1,000         | No      | 0,000               | 5            | 3.8         | 18.2                             | 182                         | 13,966             | 44               | 0.10            | 1.5             | 1.2                          |
| 3            | Commercial     | 1          | Commercial          | 10,550        | Yes     | 7,130               | 85           | 33.0        | 3,255.2                          | 32,552                      | 1,264,072          | 26,919           | 253.7           | 233.7           | 1,549.9                      |
|              |                |            |                     | 0             |         | 0                   | 0            | 0.0         | 0.0                              | 0                           | 0                  | 0.00             | 0.0             | 0.0             | 0.0                          |
|              |                |            |                     | 0             |         | 0                   | 0            | 0.0         | 0.0                              | 0                           | 0                  | 0.00             | 0.0             | 0.0             | 0.0                          |
| <b>Total</b> |                |            |                     | <b>12,220</b> |         | <b>9,000</b>        |              |             | <b>3,816</b>                     | <b>38,164</b>               | <b>1,489,725</b>   | <b>33,500</b>    | <b>33.3</b>     | <b>253.7</b>    | <b>1,753.2</b>               |

| Landuse <sup>1</sup>     | Landuse ID (used for v-lookup) | % Impervious | (C) TSS (mg/l) | (C) TP (mg/l) | (C) TN (mg/l) | Fecal Coliform (colonies/100 mL) | Landuse                  |
|--------------------------|--------------------------------|--------------|----------------|---------------|---------------|----------------------------------|--------------------------|
| Commercial               | 1                              | 85           | 77             | 0.33          | 2.97          | 4500                             | Commercial               |
| Forested                 | 2                              | 5            | 51             | 0.11          | 1.78          | 300                              | Forested                 |
| Open Urban Land          | 3                              | 9            | 51             | 0.11          | 1.74          | 300                              | Open Urban Land          |
| Residential-High Density | 4                              | 40           | 100            | 0.4           | 2.2           | 7000                             | Residential-High Density |
| Residential-Low Density  | 5                              | 10           | 100            | 0.4           | 2.2           | 7000                             | Residential-Low Density  |
| Residential-Med Density  | 6                              | 30           | 100            | 0.4           | 2.2           | 7000                             | Residential-Med Density  |
| Industrial               | 7                              | 75           | 149            | 0.32          | 3.97          | 2400                             | Industrial               |
| Roadway/Parking Lot      | 8                              | 80           | 172            | 0.55          | 1.4           | 1700                             | Roadway/Parking Lot      |
| Pasture                  | 9                              | 5            | 145            | 0.37          | 5.98          | 300                              | Pasture                  |

<sup>1</sup>High density residential (1/4 to 1/2 acre lots); Medium density residential (1/4 to 1/2 acre lots); Low density residential (1/2 to 1 acre lots); Multifamily (10+ units per acre)

The Simple Method - Pollutant Reduction Model  
Example Pollutant Reduction Estimates

| No.                                 | Watershed Name | BMP ID | BMP Type                | BMP Drainage Area (acres) | BMP Removal Efficiency <sup>a</sup> |                          |                |  | Quantity of Pollutant Removed |                         |                         |  | Annual Fecal Coliform Removed (billion colonies) | Pretreatment / Treatment |  |
|-------------------------------------|----------------|--------|-------------------------|---------------------------|-------------------------------------|--------------------------|----------------|--|-------------------------------|-------------------------|-------------------------|--|--|--------------------------|--|
|                                     |                |        |                         |                           | TSS Removal (%)                     | TP Removal (%)           | TN Removal (%) | Fecal Coliform Removal <sup>**</sup> (%) | Annual TSS Removed (lbs)      | Annual TP Removed (lbs) | Annual TN Removed (lbs) | Annual Fecal Coliform Removed (billion colonies) |  |                          |  |
| <b>1<sup>st</sup> BMP in series</b> |                |        |                         |                           |                                     |                          |                |  |                               |                         |                         |  |  |                          |  |
|                                     |                |        |                         |                           | BMP Volume (cf) = 3,820.00          | Water Quality Volume (%) | 100%           |  |                               |                         |                         |  |  |                          |  |
| 1                                   | Paved Roadway  | 2      | Plunge Pool / Forebay** | 1,870                     | 85.0%                               | 8.0%                     | 3.0%           | 12.0%                                    | 5,563                         | 0.58                    | 0.6                     | 12.3   | Pretreatment                                     |                          |  |
| 2                                   | Woods          | 2      | Plunge Pool / Forebay** | 1,000                     | 85.0%                               | 8.0%                     | 3.0%           | 12.0%                                    | 38                            | 0.01                    | 0.0                     | 0.1  | Pretreatment                                     |                          |  |
| 3                                   | Commercial     | 2      | Plunge Pool / Forebay** | 10,550                    | 85.0%                               | 8.0%                     | 3.0%           | 12.0%                                    | 22,882                        | 2.08                    | 7.0                     | 198.0  | Pretreatment                                     |                          |  |
| <b>Total</b>                        |                |        |                         |                           |                                     |                          |                |  | <b>BMP Total</b>              | <b>28,482</b>           | <b>2.67</b>             | <b>7.6</b>                                       | <b>210.4</b>                                     |                          |  |
| <b>2<sup>nd</sup> BMP in series</b> |                |        |                         |                           |                                     |                          |                |  |                               |                         |                         |  |  |                          |  |
|                                     |                |        |                         |                           | BMP Volume (cf) = 38,200.00         | Water Quality Volume (%) | 100%           |  |                               |                         |                         |  |  |                          |  |
| 1                                   | Paved Roadway  | 7      | Infiltration Basin      | 1,870                     | 95.0%                               | 80.0%                    | 51.0%          | 90.0%                                    | 933                           | 5.3                     | 9.1                     | 80.9   | Treatment  |                          |  |
| 2                                   | Woods          | 7      | Infiltration Basin      | 3,000                     | 95.0%                               | 80.0%                    | 51.0%          | 90.0%                                    | 19                            | 0.2                     | 2.3                     | 2.8  | Treatment  |                          |  |
| 3                                   | Commercial     | 7      | Infiltration Basin      | 1,500                     | 95.0%                               | 80.0%                    | 51.0%          | 90.0%                                    | 449                           | 2.7                     | 16.4                    | 165.8  | Treatment  |                          |  |
| <b>Total</b>                        |                |        |                         |                           |                                     |                          |                |  | <b>BMP Total</b>              | <b>1,497</b>            | <b>8.26</b>             | <b>27.9</b>                                      | <b>269.5</b>                                     |                          |  |
|                                     |                |        |                         |                           | <b>TOTAL REMOVAL =</b>              | <b>29,979</b>            | <b>10.9</b>    | <b>35.5</b>                              | <b>479.9</b>                  |                         |                         |  |  |                          |  |
|                                     |                |        |                         |                           | <b>% REMOVAL =</b>                  | <b>89.5%</b>             | <b>32.8%</b>   | <b>14.0%</b>                             | <b>27.4%</b>                  |                         |                         |  |  |                          |  |

| BMP Type                    | BMP ID (used for v-lookup) | TSS Removal (%) | TP Removal (%) | TN Removal (%) | Fecal Coliform Removal <sup>**</sup> (%) | Pretreatment / Treatment | BMP Type                    |
|-----------------------------|----------------------------|-----------------|----------------|----------------|--|--------------------------|-----------------------------|
| Vegetated Swale             | 1                          | 81%             | 34%            | 84%            | 60%                                      | Pretreatment             | Vegetated Swale             |
| Plunge Pool / Forebay**     | 2                          | 85%             | 8%             | 3%             | 12%                                      | Pretreatment             | Plunge Pool / Forebay**     |
| Leaching Catch Basin**      | 3                          | 95%             | 80%            | 51%            | 90%                                      | Pretreatment             | Leaching Catch Basin**      |
| Wet Pond                    | 4                          | 80%             | 51%            | 33%            | 70%                                      | Treatment                | Wet Pond                    |
| Riprap Swale***             | 5                          | 50%             | 5%             | 2%             | 5%                                       | Pretreatment             | Riprap Swale***             |
| Raingarden                  | 6                          | 88%             | 59%            | 38%            | 37%                                      | Treatment                | Raingarden                  |
| Infiltration Basin          | 7                          | 95%             | 80%            | 51%            | 90%                                      | Treatment                | Infiltration Basin          |
| Infiltration Chambers**     | 8                          | 95%             | 80%            | 51%            | 90%                                      | Treatment                | Infiltration Chambers**     |
| Enhanced Sand Filtration*** | 9                          | 86%             | 59%            | 38%            | 37%                                      | Treatment                | Enhanced Sand Filtration*** |
| Gravel Wetland              | 10                         | 76%             | 49%            | 30%            | 78%                                      | Treatment                | Gravel Wetland              |
| Extended Detention Wetland  | 11                         | 76%             | 49%            | 30%            | 78%                                      | Treatment                | Extended Detention Wetland  |

Use a Copyright of Materials: These materials are copyrighted by Comprehensive Environmental Inc. (CEI). CEI hereby authorizes the limited copying and use of these publications by readers so long as CEI is fully referenced and credited with the information. Please reference as follows: CEI, date of publication, "Name of Publication." Published by Comprehensive Environmental Inc. (800) 725-2550. Copyright "date". Note that this is a generic model and site specific engineering is always required for proper application of this material. CEI cannot be held responsible for errors or omissions that could occur in applying this model to specific sites.

Table A.5. STP Selection: Pollutant Removal Matrix

| Practice                              | TSS [%]         | TP [%] | TN [%]          | Metals <sup>1</sup> [%] | Bacteria [%]    | Hydrocarbons [%] |
|---------------------------------------|-----------------|--------|-----------------|-------------------------|-----------------|------------------|
| Wet Ponds                             | 80              | 51     | 33              | 62                      | 70              | 81 <sup>2</sup>  |
| Stormwater Wetlands                   | 76              | 49     | 30              | 42                      | 78 <sup>2</sup> | 85 <sup>2</sup>  |
| Filtering Practices                   | 86              | 59     | 38              | 69                      | 37 <sup>2</sup> | 84 <sup>2</sup>  |
| Infiltration Practices <sup>3</sup>   | 95 <sup>2</sup> | 80     | 51              | 99 <sup>2</sup>         | N/A             | N/A              |
| Open Channels <sup>4</sup>            | 81              | 34     | 84 <sup>2</sup> | 70                      | N/A             | 62 <sup>2</sup>  |
| Quantity Control Ponds <sup>2,5</sup> | 3               | 19     | 5               | 7.5                     | 78              | N/A              |

1. Average of zinc and copper. Only zinc for infiltration
  2. Based on fewer than five data points (i.e., independent monitoring studies)
  3. Includes porous pavement, which is not on the list of approved practices for Vermont. At this time, there are no known field studies that have measured sediment removal in infiltration trenches. However, it can logically be presumed that a properly operating infiltration trench will remove nearly 100% of the TSS load associated with the design treatment volume.
  4. Higher removal rates for dry swales.
  5. Quantity control ponds (a.k.a. dry detention basins or vaults) do not meet the WQ<sub>5</sub> requirement and must be used in conjunction with acceptable water quality STPs.
- N/A: Data not available  
Removals represent median values from Winer (2000)



# STP PHASE 2 RANKING

## PROJECT AREAS 1 & 2

### Use Specific Ranking Criteria:

- BMP Drainage Area
- Percent Impervious
- Land Use Types
- 10 yr. Pollutant Removal
- BMP Cost
- 10 yr. BMP Maintenance Cost

To Estimate:



\$ per ton of  
sediment (TSS)  
removed  
(over 10 year period)

To Select:



**Top 2 BMPs per Area = Most Cost Effective**

On average over a 10 year period  
~ \$4,000 - \$5,000 per ton

| APPENDIX C - STP OPTIONS - RANKING SUMMARY TABLE BY AREA |                                   |                         |                        |                     |                     |                     |                     |                         |                      |                      |                      |                            |                   |                          |                             |
|--|-----------------------------------|-------------------------|------------------------|---------------------|---------------------|---------------------|---------------------|-------------------------|----------------------|----------------------|----------------------|----------------------------|-------------------|--------------------------|-----------------------------|
| STP ID   | Sub-basins Handled (Outfall I.D.) | Sub-basin Areas (acres) | Percent Impervious (%) | WQv Target (cu.ft.) | REv Target (cu.ft.) | CPv Target (cu.ft.) | OBv Target (cu.ft.) | STP Max Volume (cu.ft.) | TSS Removal (cu.ft.) | STP Total Costs (\$) | STP Maintenance (\$) | STP Total 10 yr Costs (\$) | TSS Removal (lbs) | 10 Yr TSS Removal (tons) | Cost / TSS Removal (\$/ton) |
| 1-1  | 6, 6D, 6E, 6F, 15                 | 13.4                    | 67%                    | 28,700              | 11,000              | 38,700              | 83,100              | 81,750                  | 340                  | \$655,196            | \$3,400              | \$689,196                  | 30,600            | 153                      | <b>\$4,505</b>              |
| 1-4  | 7, 7A                             | 7.3                     | 56%                    | 13,200              | 5,900               | 8,600               | 26,200              | 26,400                  | 110                  | \$215,259            | \$2,000              | \$235,259                  | 9,900             | 50                       | <b>\$4,753</b>              |





# STP SELECTION

## PROJECT AREA 3

Culverts with widths less than bank-full width were reviewed:

- Any undersized culverts should eventually be replaced.
- For ranking purposes, culvert projects with widths less than 33% of the bank-full channel width were selected as the highest priority to be completed under a first phase.
- Remaining undersized culverts could be replaced in 2 additional phases based on similar criteria (e.g. under 67% and remainder less than bank-full width).
- Cost estimates were preformed for the top 4:

Table 3. Summary of Stream Crossings

| Reach/Segment | Road Name    | Road Type | Location  | Struct. Height (ft) | Stream Width (ft) | Struct. Width (ft) | Struct./Stream Width* | Flood-plain Filled? | Stream Approach      |
|---------------|--------------|-----------|---|---------------------|-------------------|--------------------|-----------------------|---------------------|----------------------|
| M01-B Bridge  | Railroad     | Railroad  | Railroad crossing just upstream of segment break. | 9.5                 | 20.0              | 19.0               | 95%                   | Partially           | Channelized Straight |
| M01-B Bridge  | Route 5      | Paved     | Route 5 crossing.                                 | 5.4                 | 22.0              | 30.0               | 136%                  | Entirely            | Channelized Straight |
| M01-B Bridge  | I-91 Ramp    | Paved     | I-91 Exit 3 ramp.                                 | 7.0                 | 21.8              | 20.0               | 92%                   | Partially           | Channelized Straight |
| M02 Bridge    | I-91         | Paved     | I-91 crossing (2 lanes).                          | 4.5                 | 23.0              | 25.0               | 109%                  | Partially           | Mild Bend            |
| M03 Culvert   | Ryan Rd.     | Gravel    | Just west of intersection with Route 5.           | 7.0                 | 23.8              | 7.0                | 29%                   | Partially           | Naturally Straight   |
| M04 Culvert   | Middle Rd.   | Paved     | Just north of intersection with Route 5.          | 7.0                 | 21.0              | 7.0                | 33%                   | Partially           | Channelized Straight |
| M05 Culvert   | Middle Rd.   | Paved     | Just south of intersection with Houghton Rd.      | 7.0                 | 16.0              | 7.0                | 44%                   | Partially           | Mild Bend            |
| M06-B Bridge  | Drive-way    | Gravel    | Driveway stemming from Houghton Rd mid-segment.   | 10.6                | 18.0              | 18.5               | 103%                  | Partially           | Naturally Straight   |
| M06-B Culvert | Houghton Rd. | Paved     | Houghton Rd crossing upper.                       | 7.0                 | 16.0              | 9.0                | 56%                   | Partially           | Mild Bend            |

APPENDIX D - PROJECT AREA 3 - STP OPTIONS - COST SUMMARY

| STP ID | STP Type        | Location Description of STP   | Road Length (ft.) | Road Width (ft.) | Road Area (sq.ft.) | Culvert Length (ft.) | Culvert Opening (ft. x ft.) | Culvert Cost (\$) | No. of Structures (#) | Structure Cost (\$) | STP Install (\$) | STP Materials (\$) | Add'l Excav/Prep/Clearing (\$) | Construction Cont. Costs (30%) (\$) | STP Const. Cost (\$) | Survey Costs (\$) | Permit Costs (\$) | Engineering Costs (\$) | Bid / Construct Oversight (\$) | Engineering Total Costs (\$) | STP Total Costs (\$) |           |  |  |  |  |        |             |
|--------|-----------------|---|-------------------|------------------|--------------------|----------------------|-----------------------------|-------------------|-----------------------|---------------------|------------------|--------------------|--------------------------------|-------------------------------------|----------------------|-------------------|-------------------|------------------------|--------------------------------|------------------------------|----------------------|-----------|--|--|--|--|--------|-------------|
| 1      | Replace Culvert | Northern Fork / Ryan Rd (M03) - Install new culvert to meet min 75% stream width - Exist. Culvert = 7'x7'                                 | 50.0              | 25.0             | 1250.0             | 50                   | 7 x 18                      | \$175,000         | 0                     | \$0                 | \$3,750          | \$5,625            | \$6,250                        | \$57,200                            | \$247,825            | \$3,100           | \$8,000           | \$49,600               | \$24,800                       | \$85,500                     | \$333,300            |           |  |  |  |  |        |             |
| 2      | Replace Culvert | Northern Fork / Middle Rd (M04) - Install new culvert to meet min 75% stream width & LCBs for paved drainage - Exist. Culvert = 7'x7'     | 100.0             | 25.0             | 2500.0             | 60                   | 7 x 16                      | \$210,000         | 2                     | \$7,000             | \$7,500          | \$11,250           | \$12,500                       | \$74,500                            | \$322,750            | \$3,300           | \$8,000           | \$64,600               | \$32,300                       | \$108,200                    | \$431,000            |           |  |  |  |  |        |             |
| 3      | Replace Culvert | Southern Fork / Black Mtn. Rd (T1.01) - Install new culvert to meet min 75% stream width LCBs for paved drainage - Exist. Culvert = 4'x4' | 100.0             | 30.0             | 3000.0             | 75                   | 4 x 12                      | \$112,500         | 2                     | \$7,000             | \$9,000          | \$13,500           | \$15,000                       | \$47,100                            | \$204,100            | \$3,300           | \$8,000           | \$40,800               | \$20,400                       | \$72,500                     | \$276,600            |           |  |  |  |  |        |             |
| 4      | Replace Culvert | Southern Fork / Dickinson Rd (T1.02-D) - Install new culvert to meet min 75% stream width - Exist. Culvert = 3'x3'                        | 50.0              | 25.0             | 1250.0             | 40                   | 3 x 7                       | \$60,000          | 0                     | \$0                 | \$3,750          | \$5,625            | \$6,250                        | \$22,700                            | \$98,325             | \$3,100           | \$8,000           | \$19,700               | \$9,800                        | \$40,600                     | \$138,900            |           |  |  |  |  |        |             |
|        |                 |   |                   |                  |                    | 225                  |                             |                   |                       |                     |                  |                    |                                |                                     |                      |                   |                   |                        |                                |                              | Totals               | \$873,000 |  |  |  |  | Totals | \$1,179,800 |



# STP SELECTION

## PROJECT AREA 3

Bank stabilization and buffer development selection:

- Based on the repair of the top 6 largest problem areas identified in the field
- Cost estimates were performed:



Figure 17. Large mass failure in upper M02



Figure 3. Bank erosion in lower M05.



Figure 9. Large landslide in lower T1.02

| APPENDIX D - PROJECT AREA 3 - STP OPTIONS - COST SUMMARY |                          |  |                    |                   |                     |                  |                    |                                    |                                     |                      |                   |                   |                        |                                |                              |                      |           |
|--|--------------------------|--|--------------------|-------------------|---------------------|------------------|--------------------|------------------------------------|-------------------------------------|----------------------|-------------------|-------------------|------------------------|--------------------------------|------------------------------|----------------------|-----------|
| STP ID   | STP Type                 | Location Description of STP  | Slope Length (ft.) | Slope Width (ft.) | Slope Area (sq.ft.) | STP Install (\$) | STP Materials (\$) | Add'l Excav / Prep / Clearing (\$) | Construction Cont. Costs (30%) (\$) | STP Const. Cost (\$) | Survey Costs (\$) | Permit Costs (\$) | Engineering Costs (\$) | Bid / Construct Oversight (\$) | Engineering Total Costs (\$) | STP Total Costs (\$) |           |
| 1  | Stabilize Steep Slopes   | Mass Slope Failure Southern Fork near Black Mtn. Rd - Repair erosion & stabilize slope                     | 100.0              | 75.0              | 7500.0              | \$15,000         | \$22,500           | \$7,500                            | \$13,500                            | \$58,500             | \$3,900           | \$8,000           | \$11,700               | \$5,900                        | \$29,500                     | \$88,000             |           |
| 2  | Streambank Stabilization | Steep Slope Failure Northern Fork near Route 91 northbound - Repair erosion & stabilize banks              | 100.0              | 30.0              | 3000.0              | \$9,000          | \$13,500           | \$3,000                            | \$7,700                             | \$33,200             | \$3,300           | \$8,000           | \$6,600                | \$3,300                        | \$21,200                     | \$54,400             |           |
| 3  | Streambank Stabilization | Mass Slope Failure Northern Fork along Route 91 southbound right of way - Repair erosion & stabilize banks | 75.0               | 50.0              | 3750.0              | \$11,250         | \$16,875           | \$3,750                            | \$9,600                             | \$41,475             | \$3,400           | \$8,000           | \$8,300                | \$4,100                        | \$23,800                     | \$65,300             |           |
| 4  | Stabilize Steep Slopes   | Steep Eroded Banks along Northern Fork near Pepsi - Repair erosion & stabilize slopes                      | 50.0               | 50.0              | 2500.0              | \$5,000          | \$7,500            | \$2,500                            | \$4,500                             | \$19,500             | \$3,300           | \$8,000           | \$3,000                | \$2,500                        | \$16,800                     | \$36,300             |           |
| 5  | Streambank Stabilization | Mass Slope Failure along Main Channel near Route 9 eastbound shoulder - Repair erosion & stabilize slope   | 150.0              | 30.0              | 4500.0              | \$13,500         | \$20,250           | \$4,500                            | \$11,500                            | \$49,750             | \$3,500           | \$8,000           | \$10,000               | \$5,000                        | \$26,500                     | \$76,300             |           |
| 6  | Stabilize Steep Slopes   | Mass Slope Failure Northern Fork near Houghton Rd - Repair erosion & stabilize slope                       | 75.0               | 50.0              | 3750.0              | \$7,500          | \$11,250           | \$3,750                            | \$6,800                             | \$29,300             | \$3,400           | \$8,000           | \$5,900                | \$2,900                        | \$20,200                     | \$49,500             |           |
|  |                          |  |                    |                   | 25,000              |                  |                    |                                    |                                     | Totals               | \$231,725         |                   |                        |                                |                              | Totals               | \$369,800 |



# STP Recommendations

## Project Area 1

### Project Area 1 – Routes 5 & 9

- Peak flow controls maximized based on largest potential impervious area treated. Treatment trains used to meet goals
- Located in undeveloped space that is currently available with no future plans for development
- Designed to handle both VTrans and Town drainage with minimal encroachment on future transportation enhancement / development

#### Site 1.1 – Putney Road & Private Properties

- Located on private property behind the America's Best Inn
- Re-direct runoff from an existing drainage system on Putney Road, Hardwood Way and a Private Drive
- Located away from brook – Storage pond followed by gravel wetlands for nutrient treatment / temperature reduction and good baseflow to the brook

#### Site 1.4 – Putney Road & Route 9

- Located on private property next to the old Bickford's restaurant
- Re-direct runoff from an existing drainage system on Routes 5 and 9 that discharges at the Putney Rd bridge crossing. Located closer to the brook - infiltrate



# STP Recommendations

## Project Area 2

### Project Area 2 – Route I-91

- STPs designed to meet topography, fit linear corridors and provide treatment for the longest lengths of untreated roadway.
- Designed with shallow depths, minimal standing water and limited encroachment on safety clear zones to provide treatment and/or elimination of direct discharges.
- Based on soils / hydric conditions, designs use a mixture of Infiltration Swales, Stormwater Wetlands, Wet / Dry Swales and Sand Filters.

#### Site 2.1 – Interstate Route 91 at Black Mtn. Rd

- Located in Right of Way near Bridge Overpass
- Retrofit existing drainage systems on shoulders and medians – infiltration near stream crossing



#### Site 2.4 – Interstate Route 91 at Exit 3

- Located in Right of Way within on/off ramps
- Use low-points and large available space along the exit ramp to install larger STPs – peak flow controls
- Retrofit existing drainage systems on highway medians to provide linear STPs – treatment with filters



# STP Recommendations

## Project Area 3

### Culvert Designs Provide:

- Roadway drainage treatment at crossings
- Proper widths
- Proper substrate material
- Proper Embedment or open bottoms
- Improved Wildlife Passage

### Crosby Culvert Replacement Locations:

- Ryan Rd
- Middle Rd
- Black Mountain Rd
- Dickinson Rd



Figure 20. Perched culvert beneath Ryan Road.





Figure 6-6. Stream simulation culvert embedment.




# STP Recommendations

## Project Area 3



### Stabilization Techniques:

- Bio-engineered slope treatment
- Combine -riprap, vegetation, fabrics and coir logs
- Proper toe-of-slope selection
- Proper anchoring
- Proper reinforcement materials




### Crosby Stabilization:

- 6 locations
- 4 on the Northern Branch
- 1 on the Southern Branch
- 1 on the Main (lower) Branch



# CROSBY BROOK POINTS TO PONDER

- BASED ON RECENT HISTORY, THE USE OF EXTREME STORM PRECIPITATION IS RECOMMENDED FOR STP SIZING AND CULVERT DESIGN.
- TREATMENT TRAINS – A GOOD METHOD FOR MEETING SEVERAL PROJECT TARGETS (PEAK FLOW CONTROL, NUTRIENT REMOVAL, SEDIMENT REMOVAL AND TEMPERATURE CONTROLS).
- A BLEND OF HARD STRUCTURE AND NATURALIZED TREATMENTS HAS PROVEN TO BE VERY EFFECTIVE STABILIZATION METHOD.
- ALL LEAD TO HIGHER COST PROJECTS – CROSBY BROOK 7 MILES ~ \$400,000 PER MILE OF STREAM
- HOW DO YOU PRIORITIZE WHERE TO USE THE AVAILABLE LIMITED FUNDING? WHICH PROJECTS TO TARGET FIRST AND CAN YOU MEET THESE HIGHER STANDARDS?



- ACCORDING TO EPA, THERE IS APPROXIMATELY 65,000 MILES OF STREAMS AND RIVERS IN NEW ENGLAND. THERE ARE LIKELY HUNDREDS OF SMALL STREAMS THROUGH-OUT NEW ENGLAND WITH SIMILAR ISSUES AS CROSBY BROOK



# QUESTIONS

